



Company Profile

CV. KREASI NEGERI

COMPANY IN BRIEF

About Us

CV. Kreasi Negeri is a company that was founded in 2013 in Surabaya, Indonesia and is engaged in the trade of White Charcoal (Binchotan).

Head Office:

Ruko Kenjeran Palace

Jl. Putro Agung Timur Blok B-15, Surabaya 60134

Phone/Fax: 031-3817864

Email: kreasinegeri@gmail.com

COMPANY IN BRIEF

Company Vision

Become a trustworthy company in the *White Charcoal* trade, both in the export and domestic markets.

Company Mission

Provide high-quality *White Charcoal* supply and improve the ability to supply, both export and domestic markets.

Company Legality

Deed Establishment Number 474, Januari 29, 2013
TIN Number 31.711.274.6-619.000, Maret 11, 2013
Trade Business License number 503/3362.A/436.6.11/2013, Maret 28, 2013
Sign Company List number 130135134313, April 3, 2013
API-U No. 133702165-P, Maret 7 2016
NIK No. 05.044331, April 2 2016
NIB No. 8120202971687, September 18, 2018

Our Customer


Our products have been well known in the domestic and export markets, including South Korea and Saudi Arabia.





CV. KREASI NEGERI

Product Catalogue

A close-up photograph of several pieces of white charcoal briquettes. The briquettes are dark grey to black, with a rough, textured surface. They are piled together on a wooden surface, with some showing the circular cross-section of the wood. The lighting is soft, highlighting the texture of the charcoal and the wood.

White Charcoal is made from hard wood raw materials such as Pine Wood, Tamarine Wood, and Coffee Wood. For our products, specially produced using Coffee Wood.

Production Process

White charcoal is made by pyrolysing wood in a kiln at $\sim 240^{\circ}\text{C}$ FOR 120 hours, then raising the temperature to $\sim 1000^{\circ}\text{C}$. Once carbonised, the material is taken out and covered in a damp mixture of earth, sand, and ash.





Product Characteristics

- Not smoky
- Odorless
- Longer burn time
- Produce heat in excess of 75°C



Our products have been tested and are known as high-quality products.

Product Specifications

Parameter	Unit	Result		Test Method
		AR (As Received)	DB (Dried Basis)	
Total Moisture	% wt	9.1	--	ASTM D. 2961-11
Ash Content	% wt	4.2	4.7	ASTM D. 3174-12
Volatile Matter	% wt	7.3	8.0	ASTM D. 3175-11
Fixed Carbon	% wt	794	87.3	ASTM D. 3172-07A
Total Sulfur	% wt	0.01	0.01	ASTM D. 3177-07
Gross Calorific Value	Kcal/kg	7029	7733	ASTM D. 5865-13

Parameter	Unit	Result	Test Method
Self Heating Test	-	Passed	Oven at 140°C for 24 hours